| L Number | Hits | Search Text | DB | Time stamp |
|----------|----------|---|------------------------|------------------|
| - | 1 | ((resource with (allocat\$3 reservat\$3)) and (task\$3 with manag\$5) and | USPAT; | 2004/05/06 08:06 |
| | | (soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) and (hard-limit\$5 | US-PGPUB; | |
| | | hardlimit\$5 (hard adj2 limit\$5)) and ((exceed\$3 over above beyond | ЕРО; ЛРО; | |
| | | high\$3 low\$3 below under) same (threshold limit\$5 high-watermark | DERWENT; | |
| | | (high adj2 watermark) low-watermark (low adj2 watermark))) and | IBM_TDB | ! |
| | | (grant\$5 allow\$3 den\$4 block\$5 permi\$6 authoriz\$6 refus\$5 reject\$3 | | |
| | | declin\$3)) | | |
| - | 9 | ((resource with (allocat\$3 reservat\$3)) and (soft-limit\$5 softlimit\$5 | USPAT; | 2003/11/04 09:37 |
| | | (soft adj2 limit\$5)) and (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5)) | US-PGPUB; | |
| | | and ((exceed\$3 over above beyond high\$3 low\$3 below under) same | EPO; JPO; | |
| | | (threshold limit\$5 high-watermark (high adj2 watermark) | DERWENT; | |
| | | low-watermark (low adj2 watermark))) and (grant\$5 allow\$3 den\$4 | IBM_TDB | |
| | 10 | block\$5 permi\$6 authoriz\$6 refus\$5 reject\$3 declin\$3)) | TICDAT. | 2002/11/04 00:42 |
| i - | 12 | ((resource same (allocat\$3 reserv\$5)) and (soft-limit\$5 softlimit\$5 (soft | USPAT; | 2003/11/04 09:42 |
| | | near4 limit\$5)) and (hard-limit\$5 hardlimit\$5 (hard near4 limit\$5)) and | US-PGPUB; EPO; JPO; | |
| | | ((exceed\$3 over above beyond high\$3 low\$3 below under) same | DERWENT; | |
| | | (threshold limit\$5 high-watermark (high adj2 watermark) low-watermark (low adj2 watermark))) and (grant\$5 allow\$3 den\$4 | IBM TDB | |
| 1 | | block\$5 permi\$6 authoriz\$6 refus\$5 reject\$3 declin\$3)) | IDM_IDD | |
| | 3 | (((resource same (allocat\$3 reserv\$5)) and (soft-limit\$5 softlimit\$5 | USPAT; | 2003/11/04 10:15 |
| _ | 3 | ((resource same (amocach's reserves)) and (soft-immes soft-immes) (soft near4 limit\$5)) and (hard-limit\$5 hardlimit\$5 (hard near4 limit\$5)) | US-PGPUB; | 2003/11/01 10:13 |
| • | | and ((exceed\$3 over above beyond high\$3 low\$3 below under) same | EPO; JPO; | |
| | | (threshold limit\$5 high-watermark (high adj2 watermark) | DERWENT; | |
| | | low-watermark (low adj2 watermark))) and (grant\$5 allow\$3 den\$4 | IBM_TDB | |
| | | block\$5 permi\$6 authoriz\$6 refus\$5 reject\$3 declin\$3))) not (((resource | _ | |
| | | with (allocat\$3 reservat\$3)) and (soft-limit\$5 softlimit\$5 (soft adj2 | | |
| | | limit\$5)) and (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5)) and | | |
| İ | | ((exceed\$3 over above beyond high\$3 low\$3 below under) same | | |
| | | (threshold limit\$5 high-watermark (high adj2 watermark) | | |
| | | low-watermark (low adj2 watermark))) and (grant\$5 allow\$3 den\$4 | | |
| | | block\$5 permi\$6 authoriz\$6 refus\$5 reject\$3 declin\$3))) | | |
| - | 4 | (hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) | USPAT; | 2004/05/06 17:37 |
| | | (soft near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3 | US-PGPUB; | |
| | | constrain\$3) same ((high near3 watermark\$3) (high near3 water-mark) | EPO; JPO; | |
| | | (low near3 watermark) (low\$3 near3 water-mark)) | DERWENT; | |
| | | | IBM_TDB | |
| - | 5 | ((hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) | USPAT; | 2004/05/03 17:59 |
| | | (soft near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3 | US-PGPUB; | |
| | | constrain\$3)) and ((high near3 watermark\$3) (high near3 water-mark) | ЕРО; ЛРО; | |
| | | (low near3 watermark) (low\$3 near3 water-mark)) | DERWENT; | |
| | | ((111:-140201:-1402 h11:-14020 1:-1402 (h12 | IBM_TDB | 2004/05/05 15:30 |
| - | 1 | (((hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 | USPAT; US-PGPUB; | 2004/03/03 13:30 |
| | | limit\$3) (soft near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3)) and ((high near3 watermark\$3) (high near3 | EPO; JPO; | |
| | | water-mark) (low near3 watermark) (low\$3 near3 water-mark))) not (| DERWENT; | |
| | | (hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) | IBM_TDB | |
| 1 | | (soft near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3) | | |
| | | constrain\$3) same ((high near3 watermark\$3) (high near3 water-mark) | | |
| | | (low near3 watermark) (low\$3 near3 water-mark))) | | |
| _ | 526 | (hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) | USPAT; | 2004/05/03 17:56 |
| | | (soft near3 limit\$3)) with (exceed\$3 beyond\$3 above below\$3 limit\$3 | US-PGPUB; | |
| | | constrain\$3) with (threshold limit\$3 mark\$3 watermark water-mark) | EPO; JPO; | |
| | | with (den\$4 grant\$3 permi\$5 allow\$4) | DERWENT; | |
| | | , , , | IBM_TDB | |
| - | 2 | ((hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) | USPĀT; | 2004/05/03 17:57 |
| | } | (soft near3 limit\$3)) with (exceed\$3 beyond\$3 above below\$3 limit\$3 | US-PGPUB; | |
| | | constrain\$3) with (threshold limit\$3 mark\$3 watermark water-mark) | ЕРО; ЈРО; | |
| | | with (den\$4 grant\$3 permi\$5 allow\$4)) same (allocat\$3 with (cpu hard | DERWENT; | |
| | <u> </u> | soft memory resource)) | IBM_TDB | |

| - | 21 | ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3)) and (quota quantium (high near3 water-mark)) (low near3 | USPAT; US-PGPUB; EPO; JPO; | 2004/05/03 18:00 |
|---|-----|---|---|------------------|
| | 16 | watermark) (low\$3 near3 water-mark)) (((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) same (exceed\$3 | DERWENT; IBM_TDB USPAT; | 2004/05/05 15:17 |
| | | beyond\$3 above below\$3 limit\$3 constrain\$3)) and (quota quantium (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark))) not (((hardlimit\$3 softlimit\$3 hard-limit\$3 soft-limit\$3 (hard near3 limit\$3) (soft near3 limit\$3)) same (exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3)) and ((high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) | US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | |
| - | 343 | (low\$3 near3 water-mark))) (((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) with (exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3)) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 15:22 |
| - | 0 | (((((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) with (exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3)) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark))) and ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) with ((potential associat\$3) with (client user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 15:24 |
| - | 9 | ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) with ((potential associat\$3) with (client user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 15:30 |
| - | 10 | ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3) softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) with ((potential associat\$3) with (client user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 17:44 |
| - | 916 | (((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4) with (constrain\$3 limit\$3 threshold bound\$3)) with ((potential associat\$3) with (client user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:46 |
| - | 272 | ((((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4) with (constrain\$3 limit\$3 threshold bound\$3)) with ((potential associat\$3) with (client user)))) and ((exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 15:52 |
| - | 123 | (((((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4) with (constrain\$3 limit\$3 threshold bound\$3)) with ((potential associat\$3) with (client user)))) and ((exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark)))) and ((request\$3 access\$3) with (den\$4 allow\$4 permi\$6 grant\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 15:58 |
| - | 39 | (((((((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4) with (constrain\$3 limit\$3 threshold bound\$3)) with ((potential associat\$3) with (client user)))) and ((exceed\$3 beyond\$3 above below\$3 limit\$3 constrain\$3) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 near3 water-mark))) and ((request\$3 access\$3) with (den\$4 allow\$4 permi\$6 grant\$3))) and ((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4 resource) with (maximi\$3 utiliz\$5))) and (allocat\$3 with (memor\$3 hard\$5 storage cpu processor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/05 16:02 |
| | | link\$3 bandwidth disk hard\$4 soft\$4 resource)) | | |

| - | 78 | ((((((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4) with (constrain\$3 limit\$3 threshold bound\$3)) with ((potential associat\$3) with (client user)))) and ((exceed\$3 beyond\$3 | USPAT; US-PGPUB, EPO, JPO; | 2004/05/05 16:05 |
|---|-----|--|---|------------------|
| | | above below\$3 limit\$3 constrain\$3) same (quota threshold (high near3 watermark\$3) (high near3 water-mark) (low near3 watermark) (low\$3 | DERWENT; IBM_TDB | |
| | | near3 water-mark)))) and ((request\$3 access\$3) with (den\$4 allow\$4 permi\$6 grant\$3))) and ((memor\$3 hard\$5 storage cpu processor link\$3 bandwidth disk hard\$4 soft\$4 resource) with (maximi\$3 utiliz\$5 | | |
| - | 491 | optimiz\$6)) (hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) and (softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:45 |
| - | 44 | ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) and (softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) and ((potential associat\$3) with (client user)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:49 |
| - | 15 | (((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) and (softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) and ((potential associat\$3) with (client user))) and ((authoriz\$7 den\$4 allow\$4 permi\$6 grant\$3 allocat\$3) with (resource access\$7)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:50 |
| - | 128 | ((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) and (softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) and ((potential associat\$3) with (task\$3 process\$3 program client user)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:50 |
| - | 33 | ((((hardlimit\$3 hard-limit\$3 (hard near3 limit\$3)) and (softlimit\$3 soft-limit\$3 (soft near3 limit\$3)) and ((potential associat\$3) with (task\$3 process\$3 program client user))) and ((authoriz\$7 den\$4 allow\$4 permi\$6 grant\$3 allocat\$3) with (resource access\$7)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/05/05 17:50 |